

SLIM WAVE

elegance and simplicity



brilumen®

SLIM WAVE

Inspired by the organic movements of nature,
SLIM WAVE transcends the lighting function to
become a true work of art.



OPAL & LOW GLARE

GENERAL INFO

Stand Alone Linear light
Suspended
Class I
IP40

DIFFUSER TYPE

Opal
+ Low Glare

LED PCB

3000K / 4000K
CRI > 90
Lifetime 50.000h Tp 55°C
3 Steps MacAdam

Opal & Low Glare Diffuser (09/U6) - CRI>90

LENGTH	COMBI LENGHT	POWER	CCT	LED LUMENS	LUMINAIRE LM	EFFICACY	ORDER CODE
1130 + 2 X 290 mm	1700	28,0 W	3000K	4039 lm	2944 lm	144 lm/W	170 XX .1709.930. FI
			4000K	4248 lm	3096 lm	152 lm/W	170 XX .1709.940. FI

FINISHING		FI
	Textured White	TW
	Textured Black	TB
	Textured Silver	TS
	Textured White & Black	TWB*
	Textured Black & White	TBW**

CONTROL TYPE		XX
ON/OFF		NF
DALI PUSH DIM		DA

*White inside/Black outside

*Black inside/White outside

MICROPRISMATIC & LOW GLARE



GENERAL INFO

Stand Alone Linear light
Suspended
Class I
IP40

DIFFUSER TYPE

Microprismatic
+ Low Glare

LED PCB


3000K / 4000K
CRI > 90
Lifetime 50.000h Tp 55°C
3 Steps MacAdam

Microprismatic & Low Glare Diffuser (P8/U6) - CRI>90


LENGTH	COMBI LENGHT	POWER	CCT	LED LUMENS	LUMINAIRE LM	EFFICACY	ORDER CODE
1130 + 2 X 290 mm	1700	28,0 W	3000K	4039 lm	2438 lm	144 lm/W	170 XX .17P8.930. FI
			4000K	4248 lm	2564 lm	152 lm/W	170 XX .17P8.940. FI

FINISHING	FI	CONTROL TYPE	XX
 Textured White	TW	ON/OFF	NF
 Textured Black	TB	DALI PUSH DIM	DA
 Textured Silver	TS		
 Textured White & Black	TWB*	*White inside/Black outside	
 Textured Black & White	TBW**	*Black inside/White outside	

1 OPAL & LOW GLARE



2 MICROPRISMATIC & LOW GLARE



VOLTAGE

CLASS I

IP40

90°

80°

CRI>90

CCT

UGR<19


CONNECTION KIT & ACCESSORIES



ACCESSORY	CABLE	TYPE	ON/OFF	DIMMING
Power Cable	3x0,75 mm	1,5 m	80303001	---
		3 m	80303002	---
		5 m	80303003	---
	5x0,75 mm	1,5 m	---	80303004
		3 m	---	80303005
		5 m	---	80303006



ACCESSORY	CABLE	ORDER CODE
Suspension Kit	1,5 m	80303017.SL
	3 m	80303018.SL
	5 m	80303019.SL




ACCESSORY	TYPE	DIMENSIONS	RECESSED	SURFACE
Ceiling Rose	Square	80x80x16 mm	80303020.FI	---
	Square	80x80x30 mm	---	80303021.FI

FINISHING	FI
	Textured White TW
	Textured Black TB
	Textured Silver TS



brilumen[®]



www.brilumen.com