

DESCRIPTION

LP06 Anodised aluminium profile - 2000mm x 16,80mm x 7,09mm - for LED Strip up to 12mm

Brilumen's aluminium profiles are designed and produced from top quality raw materials on modern, fully automated, precision equipment to meet the strictest European quality criteria. These profiles combine the sophisticated functionality with timeless aesthetics and imbue every illuminated area with homogeneous light.

The individual system components are quickly and easily assembled with little effort using the click system and mounted in a right manner. The particular properties of these fracture-resistant profiles protect LED strips from mechanical impacts, dissipate heat, and integrate perfectly into any architectural feature. The nonflammable polycarbonate profile covers reduce light to control the unified glare rating (UGR).

Due to high product availability, these profiles can be supplied quickly, and distinguish themselves through their perfect light lines for homogeneous light quality, the guaranteed product quality at the best price-performance ratio and the intelligent product design and unique product compatibility, that allow an unlimited variety of designs.


These aluminium profiles can have customized sizes and are compatible with Brilumen's LED Strips.

POWER SUPPLY /

ICONOGRAPHY



TECHNICAL DRAWING



LP06 ALUMINIUM PROFILE

PRODUCT TABLE AND TECHNICAL SPECIFICATIONS - LP06 Anodised aluminium profile - 2000mm x 16,80mm x 7,09mm - for LED Strip up to 12mm

LENGTH	CONTROL TYPE	FINISHING	CODE
2000	N/A	AL	G810-6062

ACCESSORIES

 E17 - PVC End Cap - G810-6063
E17 - PVC End Cap

 E18 - Aluminium End Cap - G810-6064
E18 - Aluminium End Cap

 E16 - PVC End Cap - G810-6068
E16 - PVC End Cap

 C3 - Diffuser 2 Meters G860-0005
C3 - Diffuser

 C4 - Diffuser 2 Meters G860-0006
C4 - Diffuser