


DESCRIPTION


The 48V EVO track system allows for quick and intuitive installation and repositioning of various lighting modules with a simple click. Anyone can perform the assembly and adjustment process effortlessly and without the need for tools. Operating at low voltage, the system ensures safety and energy efficiency, making it ideal for environments that require flexibility and long-term customization. We have added two new versions to our range: the round track and the Trimless track. SURFACE MOUNTED application: BT1E, BT2E, and BT15E; SUSPENDED application: BT1E, BT2E, BT15E (round), and TK9E (double emission - UP/DOWN); RECESSED application: TK5E (Trimless) and TK18E.

MOUNTING	ENCASTRAR
POWER SUPPLY	48V / TRACK
WARRANTY	5 Years
FINISHING	Black, White
CONTROL	DALI



TECHNICAL DRAWING


ICONOGRAPHY



ACCESSORIES



48V Adjustable Corner	White	Black
48V Adjustable Corner	3080-0219E.WH	3080-0219E.BL



48V Jointing connector	White	Black
48V Jointing connector	3080-0217E.WH	3080-0217E.BL



48V Short End - Feed	White	Black
48V Short End - Feed	3080-0216E.WH	3080-0216E.BL



L- shaped Connector 48V	White	Black
48V L- shaped Connector	3080-0218E.WH	
48V L- shaped Connector		3080-0218E.BL



Power Supply 240W / 480W	-
Power Supply 240W	30800225
Power Supply 480W	30800226

Power Supply 350/500W	-
------------------------------	----------



Power Supply 350W	30800227
Power Supply 500W	30800228



Suspen. Junction Bracket	Anodized aluminium
Suspen. Junction Bracket	3080-0204.AL



Suspension Kit	Silver
Suspension kit 1,5m (1un)	80303017.SL
Suspension kit 3 m (1un)	80303018.SL
Suspension kit 5 m (1un)	80303019.SL



T-shaped Connector 48V	White	Black
T-shaped Connector 48V	3080-0239E.WH	3080-0239E.BL



X-shaped Connector 48V	White	Black
X-shaped Connector 48V	3080-0240E.WH	3080-0240E.BL



End Cap	White	Black
End Cap	3080-0233.WH	3080-0233.BL



End Cap With Hole	White	Black
End Cap With Hole	3080-0234.WH	3080-0234.BL



L - Joint	White	Black
L - Joint	3080-0235E.WH	3080-0235E.BL



Fixing clip TK18E	-
Fixing clip TK18E	3080-0236



Int. Casambi-DALI InTrack	White
Int. Casambi-DALI InTrack	30800234



Interf. 1-10V Push Button	SEM TITULO -
Interf. 1-10V Push Button	30800233

Mechanical junction 48V	Black	White
-------------------------	-------	-------



Mechanical junction 48V

3080-0254

3080-0255



P. S. INTRACK 100W ONOFF
P. S. INTRACK 100W ONOFF

Black
8011-1036



P. S. INTRACK 200W ONOFF
P. S. INTRACK 200W ONOFF

Black
8011-1037



Power Supply 48V 100W
Power Supply 48V 100W

SEM TITULO -
TD87501114



Power Supply 48V 200W
Power Supply 48V 200W

SEM TITULO -
TD87501115



Power Supply 48V 60W
Power Supply 48V 60W

SEM TITULO -
TD87501113



PS INTRACK SLIM 100W BL
PS INTRACK SLIM 100W BL

Black
8011-1042



PS INTRACK SLIM 100W WH
PS INTRACK SLIM 100W WH

White
8011-1043



PS INTRACK SLIM 250W BL
PS INTRACK SLIM 250W BL

Black
8011-1044



PS INTRACK SLIM 250W WH
PS INTRACK SLIM 250W WH

White
8011-1045



Ext. Casambi-DALI Interf
Ext. Casambi-DALI Interf

-
30800230

Int. Casambi-DALI InTrack

Black



Int. Casambi-DALI InTrack

30800229



Interf. Push Button-DALI
Interf. Push Button-DALI

-
30800231



Suspension Bracket BT2E
Suspension Bracket BT2E

-
3080-0188