


DESCRIPTION

The 48V EVO track system allows for quick and intuitive installation and repositioning of various lighting modules with a simple click. Anyone can perform the assembly and adjustment process effortlessly and without the need for tools. Operating at low voltage, the system ensures safety and energy efficiency, making it ideal for environments that require flexibility and long-term customization. We have added two new versions to our range: the round track and the Trimless track. SURFACE MOUNTED application: BT1E, BT2E, and BT15E; SUSPENDED application: BT1E, BT2E, BT15E (round), and TK9E (double emission - UP/DOWN); RECESSED application: TK5E (Trimless) and TK18E.


MOUNTING	ENCASTRAR
POWER SUPPLY	48V / TRACK
WARRANTY	5 Years
FINISHING	Black, White
CONTROL	DALI



ICONOGRAPHY



TECHNICAL DRAWING



ACCESSORIES

	M6 Gripper Clamp	Anodized aluminium	3080-0210.AL
	M6 Gripper Clamp TK5E		
	48V Short End - Feed	White	3080-0216E.WH
	48V Short End - Feed	Black	3080-0216E.BL
	48V Jointing connector	White	3080-0217E.WH
	48V Jointing connector	Black	3080-0217E.BL
	L-shaped Connector 48V	White	3080-0218E.WH
	48V L-shaped Connector	Black	3080-0218E.BL
	48V Adjustable Corner	White	3080-0219E.WH
	48V Adjustable Corner	Black	3080-0219E.BL
	48V track Blind Cover 1M	White	3080-0220.WH
	PVC Blind Cover 1M	Black	3080-0220.BL
	48V track Blind Cover 2M	White	3080-0221.WH
	PVC Blind Cover 2M	Black	3080-0221.BL

Power Supply 240W / 480W

-

	Power Supply 240W Power Supply 480W	30800225 30800226
	Power Supply 350/500W Power Supply 350W Power Supply 500W	- 30800227 30800228
	T- shaped Connector 48V T- shaped Connector 48V	White Black 3080-0239E.WH 3080-0239E.BL
	X- shaped Connector 48V X- shaped Connector 48V	White Black 3080-0240E.WH 3080-0240E.BL
	End Cap End Cap	White Black 3080-0252.WH 3080-0252.BL
	End Cap With Hole End Cap With Hole	White Black 3080-0253.WH 3080-0253.BL
	Suspension Kit Suspension kit 1,5m (1un) Suspension kit 3 m (1un) Suspension kit 5 m (1un)	Silver 80303017.SL 80303018.SL 80303019.SL
	Interf. 1-10V Push Button Interf. 1-10V Push Button	SEM TITULO - 30800233
	Int. Casambi-DALI InTrack Int. Casambi-DALI InTrack	White 30800234
	Mechanical junction 48V Mechanical junction 48V	Black 3080-0254
	Mechanical junction 48V Mechanical junction 48V	White 3080-0255
	P. S. INTRACK 100W ONOFF P. S. INTRACK 100W ONOFF	Black 8011-1036
	P. S. INTRACK 200W ONOFF P. S. INTRACK 200W ONOFF	Black 8011-1037
	PS INTRACK SLIM 100W BL PS INTRACK SLIM 100W BL	Black 8011-1042

	PS INTRACK SLIM 100W WH PS INTRACK SLIM 100W WH	White 8011-1043
	PS INTRACK SLIM 250W BL PS INTRACK SLIM 250W BL	Black 8011-1044
	PS INTRACK SLIM 250W WH PS INTRACK SLIM 250W WH	White 8011-1045
	Power Supply 48V 60W Power Supply 48V 60W	SEM TITULO - TD87501113
	Power Supply 48V 100W Power Supply 48V 100W	SEM TITULO - TD87501114
	Power Supply 48V 200W Power Supply 48V 200W	SEM TITULO - TD87501115
	Int. Casambi-DALI InTrack Int. Casambi-DALI InTrack	Black 30800229
	Ext. Casambi-DALI Interf Ext. Casambi-DALI Interf	- 30800230
	Interf. Push Button-DALI Interf. Push Button-DALI	- 30800231