

REVO ADVANCED - TETO										ON/OFF	505BA.22DAS.840.FI	245
LISTA PRODUCTO PRECIO - CRI→80												
LONGITUD	POTENCIA	LED LUMENS	ACABADO	TEMP. COLO.	CONTROL	ANGULO	REF.	PVP				
SELECCIONA TU OPCIÓN PREFERIDA	18	304	Negro texturizado	TB	3000K	30°	505BA.0530.830.FI	126				
			Blanco texturizado	TW <th>3000K</th> <th>ON/OFF</th> <th>505BA.0530.830.FI</th> <th>86.7</th> <td colspan="3"></td>	3000K	ON/OFF	505BA.0530.830.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.0560.830.FI	126				
					3000K	ON/OFF	505BA.0560.830.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.0590.830.FI	126				
					3000K	ON/OFF	505BA.0590.830.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.05AS.830.FI	126				
					3000K	ON/OFF	505BA.05AS.830.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.05BAS.830.FI	126				
					3000K	ON/OFF	505BA.05DAS.830.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.0520.840.FI	126				
					3000K	ON/OFF	505BA.0520.840.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.0560.840.FI	126				
					3000K	ON/OFF	505BA.0560.840.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.0590.840.FI	126				
					3000K	ON/OFF	505BA.0590.840.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.05AS.840.FI	126				
					3000K	ON/OFF	505BA.05AS.840.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.05DAS.840.FI	126				
					3000K	ON/OFF	505BA.05DAS.840.FI	86.7				
					3000K	DALI / PUSH Dim	505BA.1130.830.FI	167.9				
					3000K	ON/OFF	505BA.1130.830.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.1160.830.FI	167.9				
					3000K	ON/OFF	505BA.1160.830.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.1190.830.FI	167.9				
					3000K	ON/OFF	505BA.1190.830.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.11AS.830.FI	167.9				
					3000K	ON/OFF	505BA.11AS.830.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.11BAS.830.FI	167.9				
					3000K	ON/OFF	505BA.11DAS.830.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.1130.840.FI	167.9				
					3000K	ON/OFF	505BA.1130.840.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.1190.840.FI	167.9				
					3000K	ON/OFF	505BA.1190.840.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.11AS.840.FI	167.9				
					3000K	ON/OFF	505BA.11AS.840.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.11BAS.840.FI	167.9				
					3000K	ON/OFF	505BA.11DAS.840.FI	143.8				
					3000K	DALI / PUSH Dim	505BA.1630.830.FI	220.1				
					3000K	ON/OFF	505BA.1630.830.FI	191.8				
					3000K	DALI / PUSH Dim	505BA.1660.830.FI	220.1				
					3000K	ON/OFF	505BA.1660.830.FI	191.8				
					3000K	DALI / PUSH Dim	505BA.1690.830.FI	220.1				
					3000K	ON/OFF	505BA.1690.830.FI	191.8				
					3000K	DALI / PUSH Dim	505BA.16AS.830.FI	220.1				
					3000K	ON/OFF	505BA.16AS.830.FI	191.8				
					3000K	DALI / PUSH Dim	505BA.16BAS.830.FI	220.1				
					3000K	ON/OFF	505BA.16DAS.830.FI	191.8				
					3000K	DALI / PUSH Dim	505BA.2230.830.FI	273.3				
					3000K	ON/OFF	505BA.2230.830.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.830.FI	245				
					3000K	ON/OFF	505BA.2260.830.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.830.FI	273.3				
					3000K	ON/OFF	505BA.2290.830.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.830.FI	273.3				
					3000K	ON/OFF	505BA.22AS.830.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.830.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI	273.3				
					3000K	ON/OFF	505BA.22BAS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2230.840.FI	273.3				
					3000K	ON/OFF	505BA.2230.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2260.840.FI	273.3				
					3000K	ON/OFF	505BA.2260.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.2290.840.FI	273.3				
					3000K	ON/OFF	505BA.2290.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22AS.840.FI	273.3				
					3000K	ON/OFF	505BA.22AS.840.FI	245				
					3000K	DALI / PUSH Dim	505BA.22BAS.840.FI					



REVO/TREV Junta Lineal

5004-014

10.10