


HELIUS SUSPENDED CRI→90
LIST PRODUCT PRICE - IMPRISMATIC

LENGTH	POWER	LED LUMENS	FINISHING	COLOR TEMP.	CONTROLO	REF	PVP
400	17.3	2751	TB, TS, TW	3000K	CASAMBI	5230CS.0400.930.FI	423.82 ☐
					DALI / PUSH Dim	5230DA.0400.930.FI	389.12 ☐
					ON/OFF	5230NF.0400.930.FI	385.08 ☐
400	17.3	2906	TB, TS, TW	4000K	CASAMBI	5230CS.04P8.940.FI	438.2 ☐
					DALI / PUSH Dim	5230DA.04P8.940.FI	391.2 ☐
					ON/OFF	5230NF.04P8.940.FI	350.8 ☐
400	24.4	3811	TB, TS, TW	3000K	CASAMBI	5234CS.0400.930.FI	423.82 ☐
					DALI / PUSH Dim	5234DA.0400.930.FI	389.12 ☐
					ON/OFF	5234NF.0400.930.FI	385.08 ☐
400	24.4	4031	TB, TS, TW	4000K	CASAMBI	5234CS.04P8.940.FI	438.2 ☐
					DALI / PUSH Dim	5234DA.04P8.940.FI	391.2 ☐
					ON/OFF	5234NF.04P8.940.FI	350.8 ☐
550	27.6	4388	TB, TS, TW	3000K	CASAMBI	5230CS.0600.930.FI	788.78 ☐
					DALI / PUSH Dim	5230DA.0600.930.FI	659.08 ☐
					ON/OFF	5230NF.0600.930.FI	577.02 ☐
550	27.6	4747	TB, TS, TW	4000K	CASAMBI	5230CS.06P8.940.FI	702.78 ☐
					DALI / PUSH Dim	5230DA.06P8.940.FI	655.78 ☐
					ON/OFF	5230NF.06P8.940.FI	614.03 ☐
550	41.8	6556	TB, TS, TW	3000K	CASAMBI	5234CS.0600.930.FI	788.78 ☐
					DALI / PUSH Dim	5234DA.0600.930.FI	659.08 ☐
					ON/OFF	5234NF.0600.930.FI	577.02 ☐
550	41.8	7099	TB, TS, TW	4000K	CASAMBI	5234CS.06P8.940.FI	702.78 ☐
					DALI / PUSH Dim	5234DA.06P8.940.FI	655.78 ☐
					ON/OFF	5234NF.06P8.940.FI	614.03 ☐
850	54.9	8781	TB, TS, TW	3000K	CASAMBI	5230CS.0900.930.FI	1095.99 ☐
					DALI / PUSH Dim	5230DA.0900.930.FI	988.99 ☐
					ON/OFF	5230NF.0900.930.FI	949.26 ☐
850	54.9	9330	TB, TS, TW	4000K	CASAMBI	5230CS.09P8.940.FI	1035.99 ☐
					DALI / PUSH Dim	5230DA.09P8.940.FI	988.99 ☐
					ON/OFF	5230NF.09P8.940.FI	949.26 ☐
850	83	13120	TB, TS, TW	3000K	CASAMBI	5234CS.0900.930.FI	1095.99 ☐
					DALI / PUSH Dim	5234DA.0900.930.FI	988.99 ☐
					ON/OFF	5234NF.0900.930.FI	949.26 ☐
850	83	13951	TB, TS, TW	4000K	CASAMBI	5234CS.09P8.940.FI	1035.99 ☐
					DALI / PUSH Dim	5234DA.09P8.940.FI	988.99 ☐
					ON/OFF	5234NF.09P8.940.FI	949.26 ☐
1110	97.3	15565	TB, TS, TW	3000K	CASAMBI	5230CS.1100.930.FI	1642.65 ☐
					DALI / PUSH Dim	5230DA.1100.930.FI	1595.65 ☐
					ON/OFF	5230NF.1100.930.FI	1554.47 ☐
1110	97.3	16580	TB, TS, TW	4000K	CASAMBI	5230CS.11P8.940.FI	1642.65 ☐
					DALI / PUSH Dim	5230DA.11P8.940.FI	1595.65 ☐
					ON/OFF	5230NF.11P8.940.FI	1554.47 ☐
1110	151.5	23940	TB, TS, TW	3000K	CASAMBI	5234CS.1100.930.FI	1642.65 ☐
					DALI / PUSH Dim	5234DA.1100.930.FI	1595.65 ☐
					ON/OFF	5234NF.1100.930.FI	1554.47 ☐
1110	151.5	25524	TB, TS, TW	4000K	CASAMBI	5234CS.11P8.940.FI	1642.65 ☐
					DALI / PUSH Dim	5234DA.11P8.940.FI	1595.65 ☐
					ON/OFF	5234NF.11P8.940.FI	1554.47 ☐

SELECT YOUR PREFERRED OPTION

FINISHING	FI
Textured Black	TB
Textured Silver	TS
Textured White	TW

ACCESSORIES


Clear Power Cable	ON/OFF	PVP	DALI Push	PVP
Power Cable 1.5m	80303001	5.80	80303004	12.90
Power Cable 3m	80303002	11.00	80303005	24.40
Power Cable 5m	80303003	20.10	80303006	40.00



Suspension Kit	Silver	PVP
Suspension kit 1,5m (1un)	80303017.SL	7.00
Suspension kit 3 m (1un)	80303018.SL	16.90
Suspension kit 5 m (1un)	80303019.SL	25.60

Ceiling Rose Surf. 120mm	120mm	PVP
--------------------------	-------	-----



Textured Black	50041024.TB	21.20
Textured Silver	50041024.TS	21.20
Textured white	50041024.TW	21.20



Recessed power box 200mm	120mm	PVP
Textured Black	50041023.TB	21.20
Textured Silver	50041023.TS	21.20
Textured white	50041023.TW	21.20



Surface ceiling box 120mm	120mm	PVP
120mm surface box TB	50041025.TB	26.00
120mm surface box TS	50041025.TS	26.00
120mm surface box TW	50041025.TW	26.00



Surface ceiling box 200mm	200mm	PVP
200mm surface box TB	50041027.TB	33.80
200mm surface box TS	50041027.TS	33.80
200mm surface box TW	50041027.TW	33.80