


REVO BASIC - TETO				DALI / PUSH Dim		504BA.22BAS.840.FI	253.1	□	
LIST PRODUCT PRICE - CRI→80				ON/OFF		504BA.22DAS.840.FI	229	□	
LENGTH	POWER	LED LUMENS	FINISHING	COLOR TEMP.	CONTROLO	REF	PVP		
SELECT YOUR PREFERRED OPTION	570	18.2	2570	3000K	BEAM ANGLE	30°	504BA.0530.830.FI	119.4	
					DALI / PUSH Dim	504BA.0530.830.FI	78.8		
					ON/OFF	504BA.0560.830.FI	119.4		
					DALI / PUSH Dim	504BA.0560.830.FI	78.8		
					ON/OFF	504BA.0590.830.FI	119.4		
					Asymmetrical DALI / PUSH Dim	504BA.0590.830.FI	78.8		
					ON/OFF	504BA.05AS.830.FI	119.4		
					DALI / PUSH Dim	504BA.05AS.830.FI	78.8		
					ON/OFF	504BA.05BAS.830.FI	119.4		
					DALI / PUSH Dim	504BA.05DAS.830.FI	78.8		
ACCESSORIES				DALI / PUSH Dim		504BA.0530.840.FI	119.4	□	
	570	18.2	2570	3000K	Textured White	PVP	Textured Black	PVP	
					Blind Cover 1700mm	43.80	78.8	43.80	
					DALI / PUSH Dim	504BA.0560.840.FI	119.4	504BA.0560.840.FI	119.4
					ON/OFF	504BA.0560.840.FI	78.8	504BA.0560.840.FI	78.8
					DALI / PUSH Dim	504BA.0590.840.FI	119.4	504BA.0590.840.FI	119.4
					ON/OFF	504BA.0590.840.FI	78.8	504BA.0590.840.FI	78.8
					DALI / PUSH Dim	504BA.05AS.840.FI	119.4	504BA.05AS.840.FI	119.4
					ON/OFF	504BA.05AS.840.FI	78.8	504BA.05AS.840.FI	78.8
					DALI / PUSH Dim	504BA.05BAS.840.FI	119.4	504BA.05BAS.840.FI	119.4
					ON/OFF	504BA.05DAS.840.FI	78.8	504BA.05DAS.840.FI	78.8
	1130	32.4	5150	3000K	White	PVP	Black	PVP	
					External profile 1130mm	31.60	78.8	31.60	
					DALI / PUSH Dim	504BA.1130.830.FI	158.7	504BA.1130.830.FI	158.7
					ON/OFF	504BA.1130.830.FI	127.5	504BA.1130.830.FI	127.5
					DALI / PUSH Dim	504BA.1160.830.FI	158.7	504BA.1160.830.FI	158.7
					ON/OFF	504BA.1160.830.FI	127.5	504BA.1160.830.FI	127.5
					DALI / PUSH Dim	504BA.1190.830.FI	158.7	504BA.1190.830.FI	158.7
					ON/OFF	504BA.1190.830.FI	127.5	504BA.1190.830.FI	127.5
					DALI / PUSH Dim	504BA.11AS.840.FI	158.7	504BA.11AS.840.FI	158.7
					ON/OFF	504BA.11AS.840.FI	127.5	504BA.11AS.840.FI	127.5
	1130	32.4	5150	3000K	REVO Power Cable	5 m	PVP	3 m	PVP
					3x1,5mm2 - 1,5M	30800265	11.40	504BA.0530.830.FI	158.7
					5x1,5mm2 - 1,5M	30800266	17.90	504BA.0560.830.FI	127.5
					7x1,5mm2 - 1,5M	30800267	20.50	504BA.0560.830.FI	158.7
					9x1,5mm2 - 1,5M	30800268	23.10	504BA.0590.830.FI	127.5
					DALI / PUSH Dim	504BA.1130.840.FI	158.7	504BA.1130.840.FI	158.7
					ON/OFF	504BA.1130.840.FI	127.5	504BA.1130.840.FI	127.5
					DALI / PUSH Dim	504BA.1160.840.FI	158.7	504BA.1160.840.FI	158.7
					ON/OFF	504BA.1160.840.FI	127.5	504BA.1160.840.FI	127.5
					DALI / PUSH Dim	504BA.1190.840.FI	158.7	504BA.1190.840.FI	158.7
	1130	32.4	5150	3000K	Revo Wiring	3wr	PVP	3wr	PVP
					Revo Wiring 3wr	5wr	5.10	5wr	5.10
					Revo Wiring 5wr	7wr	6.20	7wr	6.20
					Revo Wiring 7wr	9wr	12.60	9wr	12.60
					Revo Wiring 9wr		16.60		16.60
					DALI / PUSH Dim	504BA.1130.840.FI	158.7	504BA.1130.840.FI	158.7
					ON/OFF	504BA.1130.840.FI	127.5	504BA.1130.840.FI	127.5
					DALI / PUSH Dim	504BA.1160.840.FI	158.7	504BA.1160.840.FI	158.7
					ON/OFF	504BA.1160.840.FI	127.5	504BA.1160.840.FI	127.5
					DALI / PUSH Dim	504BA.1190.840.FI	158.7	504BA.1190.840.FI	158.7
	1690	48.6	8142	4000K	Suspension Kit	Silver	PVP	Silver	PVP
					Suspension kit 1,5m (1un)	7.00	504BA.1630.830.FI	174	
					Suspension kit 3 m (1un)	16.90	504BA.1660.830.FI	205.4	
					Suspension kit 5 m (1un)	25.60	504BA.1660.830.FI	174	
					DALI / PUSH Dim	504BA.1690.830.FI	205.4	504BA.1690.830.FI	205.4
					ON/OFF	504BA.1690.830.FI	174	504BA.1690.830.FI	174
					DALI / PUSH Dim	504BA.16AS.830.FI	205.4	504BA.16AS.830.FI	205.4
					ON/OFF	504BA.16AS.830.FI	174	504BA.16AS.830.FI	174
					DALI / PUSH Dim	504BA.1630.840.FI	205.4	504BA.1630.840.FI	205.4
					ON/OFF	504BA.1630.840.FI	174	504BA.1630.840.FI	174
	1690	48.6	8142	4000K	End Cap for REVO	Textured White	PVP	Textured Black	PVP
					End Caps for REVO	80303060.AL	8.60	80303060.AL	8.60
					DALI / PUSH Dim	504BA.1630.840.FI	205.4	504BA.1630.840.FI	205.4
					ON/OFF	504BA.1630.840.FI	174	504BA.1630.840.FI	174
					DALI / PUSH Dim	504BA.1660.840.FI	205.4	504BA.1660.840.FI	205.4
					ON/OFF	504BA.1660.840.FI	174	504BA.1660.840.FI	174
					DALI / PUSH Dim	504BA.1690.840.FI	205.4	504BA.1690.840.FI	205.4
					ON/OFF	504BA.1690.840.FI	174	504BA.1690.840.FI	174
					DALI / PUSH Dim	504BA.16AS.840.FI	205.4	504BA.16AS.840.FI	205.4
					ON/OFF	504BA.16AS.840.FI	174	504BA.16AS.840.FI	174
	2230	64.8	10300	3000K	Emergency kit 150W 1H		PVP		PVP
					Emergency kit 150W 1H	146.90	504BA.2230.830.FI	253.1	
					DALI / PUSH Dim	504BA.16AS.840.FI	205.4	504BA.16AS.840.FI	205.4
					ON/OFF	504BA.16AS.840.FI	174	504BA.16AS.840.FI	174
					DALI / PUSH Dim	504BA.16BAS.840.FI	205.4	504BA.16BAS.840.FI	205.4
					ON/OFF	504BA.16DAS.840.FI	174	504BA.16DAS.840.FI	174
					DALI / PUSH Dim	504BA.2230.830.FI	253.1	504BA.2230.830.FI	253.1
					ON/OFF	504BA.2230.830.FI	229	504BA.2230.830.FI	229
					DALI / PUSH Dim	504BA.2260.830.FI	253.1	504BA.2260.830.FI	253.1
					ON/OFF	504BA.2260.830.FI	229	504BA.2260.830.FI	229
	2230	64.8	10300	3000K	Emergency kit 150W 3H		PVP		PVP
					Emergency kit 150W 3H	149.00	504BA.2290.830.FI	253.1	
					DALI / PUSH Dim	504BA.2290.830.FI	229	504BA.2290.830.FI	229
					ON/OFF	504BA.2290.830.FI	229	504BA.2290.830.FI	229
					DALI / PUSH Dim	504BA.22AS.830.FI	253.1	504BA.22AS.830.FI	253.1
					ON/OFF	504BA.22AS.830.FI	229	504BA.22AS.830.FI	229
					DALI / PUSH Dim	504BA.22BAS.830.FI	253.1	504BA.22BAS.830.FI	253.1
					ON/OFF	504BA.22DAS.830.FI	229	504BA.22DAS.830.FI	229
					DALI / PUSH Dim	504BA.2230.840.FI	229	504BA.2230.840.FI	229
					ON/OFF	504BA.2230.840.FI	229	504BA.2230.840.FI	229
	2230	64.8	10300	3000K	Mounting Clip		PVP		PVP
					Mounting Clip	8.60	504BA.2230.840.FI	229	
					DALI / PUSH Dim	504BA.2260.840.FI	253.1	504BA.2260.840.FI	253.1
					ON/OFF	504BA.2260.840.FI	229	504BA.2260.840.FI	229
					DALI / PUSH Dim	504BA.2290.840.FI	253.1	504BA.2290.840.FI	253.1
					ON/OFF	504BA.2290.840.FI	229	504BA.2290.840.FI	229
					DALI / PUSH Dim	504BA.22AS.840.FI	253.1	504BA.22AS.840.FI	253.1
					ON/OFF	504BA.22AS.840.FI	229	504BA.22AS.840.FI	229
					DALI / PUSH Dim	504BA.22AS.840.FI	253.1	504BA.22AS.840.FI	253.1
					ON/OFF	504BA.22AS.840.FI	229	504BA.22AS.840.FI	229
REVO/TREV Linear Joint						-		PVP	



REVO/TREV Linear Joint

5004-014

10.10