

REVO HIGH PERFORMANCE - TETO					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
LIST PRODUCT PRICE - CRI→80					ON/OFF	506BA.22DAS.840.FI	275.1	□	
LENGTH	POWER	LED LUMENS	FINISHING	COLOR TEMP.	CONTROLO	REF	PVP		
SELECT YOUR PREFERRED OPTION	570	19.9	3810	3000K	BEAM ANGLE	30°	506BA.0530.830.FI	118.8	□
					DALI / PUSH Dim	30°	506BA.0530.830.FI	89	□
					ON/OFF	30°	506BA.0530.830.FI	89	□
					DALI / PUSH Dim	60°	506BA.0560.830.FI	118.8	□
					ON/OFF	60°	506BA.0560.830.FI	89	□
					DALI / PUSH Dim	90°	506BA.0590.830.FI	118.8	□
					ON/OFF	90°	506BA.0590.830.FI	89	□
					Asymmetrical	AS	506BA.0590.830.FI	118.8	□
					Double Asymmetrical	2AS	506BA.0590.830.FI	89	□
					ON/OFF	2AS	506BA.0590.830.FI	89	□
ACCESSORIES					DALI / PUSH Dim	506BA.05AS.830.FI	118.8	□	
					ON/OFF	506BA.05AS.830.FI	89	□	
					DALI / PUSH Dim	506BA.05BAS.830.FI	118.8	□	
					ON/OFF	506BA.05BAS.830.FI	89	□	
					DALI / PUSH Dim	506BA.05DAS.830.FI	118.8	□	
					ON/OFF	506BA.05DAS.830.FI	89	□	
					DALI / PUSH Dim	506BA.0530.840.FI	118.8	□	
					ON/OFF	506BA.0530.840.FI	89	□	
					DALI / PUSH Dim	506BA.0560.840.FI	118.8	□	
					ON/OFF	506BA.0560.840.FI	89	□	
					DALI / PUSH Dim	506BA.0590.840.FI	118.8	□	
					ON/OFF	506BA.0590.840.FI	89	□	
					DALI / PUSH Dim	506BA.05AS.840.FI	118.8	□	
					ON/OFF	506BA.05AS.840.FI	89	□	
					DALI / PUSH Dim	506BA.05DAS.840.FI	118.8	□	
					ON/OFF	506BA.05DAS.840.FI	89	□	
					DALI / PUSH Dim	506BA.1130.830.FI	178.1	□	
					ON/OFF	506BA.1130.830.FI	150	□	
					DALI / PUSH Dim	506BA.1130.830.FI	178.1	□	
					ON/OFF	506BA.1130.830.FI	150	□	
					DALI / PUSH Dim	506BA.1160.830.FI	178.1	□	
					ON/OFF	506BA.1160.830.FI	150	□	
					DALI / PUSH Dim	506BA.1190.830.FI	178.1	□	
					ON/OFF	506BA.1190.830.FI	150	□	
					DALI / PUSH Dim	506BA.1130.840.FI	178.1	□	
					ON/OFF	506BA.1130.840.FI	150	□	
					DALI / PUSH Dim	506BA.1160.840.FI	178.1	□	
					ON/OFF	506BA.1160.840.FI	150	□	
					DALI / PUSH Dim	506BA.1190.840.FI	178.1	□	
					ON/OFF	506BA.1190.840.FI	150	□	
					DALI / PUSH Dim	506BA.11AS.840.FI	178.1	□	
					ON/OFF	506BA.11AS.840.FI	150	□	
					DALI / PUSH Dim	506BA.11BAS.840.FI	178.1	□	
					ON/OFF	506BA.11BAS.840.FI	150	□	
					DALI / PUSH Dim	506BA.11DAS.840.FI	178.1	□	
					ON/OFF	506BA.11DAS.840.FI	150	□	
					DALI / PUSH Dim	506BA.1630.830.FI	209.7	□	
					ON/OFF	506BA.1630.830.FI	236	□	
					DALI / PUSH Dim	506BA.1660.830.FI	209.7	□	
					ON/OFF	506BA.1660.830.FI	236	□	
					DALI / PUSH Dim	506BA.1690.830.FI	209.7	□	
					ON/OFF	506BA.1690.830.FI	236	□	
					DALI / PUSH Dim	506BA.1630.840.FI	209.7	□	
					ON/OFF	506BA.1630.840.FI	236	□	
					DALI / PUSH Dim	506BA.1660.840.FI	209.7	□	
					ON/OFF	506BA.1660.840.FI	236	□	
					DALI / PUSH Dim	506BA.1690.840.FI	209.7	□	
					ON/OFF	506BA.1690.840.FI	236	□	
					DALI / PUSH Dim	506BA.16AS.840.FI	209.7	□	
					ON/OFF	506BA.16AS.840.FI	236	□	
					DALI / PUSH Dim	506BA.16BAS.840.FI	209.7	□	
					ON/OFF	506BA.16BAS.840.FI	236	□	
					DALI / PUSH Dim	506BA.16DAS.840.FI	209.7	□	
					ON/OFF	506BA.16DAS.840.FI	236	□	
					DALI / PUSH Dim	506BA.2230.830.FI	331.3	□	
					ON/OFF	506BA.2230.830.FI	275.1	□	
					DALI / PUSH Dim	506BA.2230.830.FI	331.3	□	
					ON/OFF	506BA.2230.830.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.830.FI	331.3	□	
					ON/OFF	506BA.2290.830.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.830.FI	331.3	□	
					ON/OFF	506BA.22AS.830.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.830.FI	331.3	□	
					ON/OFF	506BA.22BAS.830.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.830.FI	331.3	□	
					ON/OFF	506BA.22DAS.830.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	
					ON/OFF	506BA.22AS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22BAS.840.FI	331.3	□	
					ON/OFF	506BA.22BAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22DAS.840.FI	331.3	□	
					ON/OFF	506BA.22DAS.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2260.840.FI	331.3	□	
					ON/OFF	506BA.2260.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.2290.840.FI	331.3	□	
					ON/OFF	506BA.2290.840.FI	275.1	□	
					DALI / PUSH Dim	506BA.22AS.840.FI	331.3	□	



REVO/TREV Linear Joint

5004-014

10.10